

Location Construction Request (LCR) and Approval Form

This approval form is a **REQUIREMENT** and approval must be obtained from the Grant Implementation Team (GIT) **PRIOR TO COMMENCEMENT OF ANY AND ALL CONSTRUCTION**. Failure to obtain this signed approval for fiber could result in a revoking of the grant monies and fines with the various state and federal agencies.

****All Community Anchor Institutions (CAIs) location construction requests (LCRs) must be submitted to BTOP_LCR@wv.gov for approval. Upon receipt, the request will first be compared to the EA for compliance. Once the Special Awards Conditions are confirmed, it will be considered for approval by the GIT and WVOT.****

Community Anchor Institution (CAI) Tenant:	STATE POLICE	County:	WEBSTER
Customer:	State of WV - BTOP Funding		
LCR #:	BB51A10	FTR Project #:	1205895
State Contact:	Cindy Smith	FTR Contact:	John Tipton
Telephone #:	304.957.6905	Telephone #:	304-788-0307

Address:		5525 Webster Road, Upper Glade				Building Type: (Select from drop-down):		Permanent Governmental		
CO:		COWEN		GPS Start:	38.409090 -80.507639		Right of Way Considerations:			
GPS Stop:				38.408730 -80.507460						
Brief description of the special construction work.										
Starting from the Lead 2000 Pole 74, Place 312 feet of 48 count aerial fiber cable, 140 feet of 48 count entrance fiber cable, and one 48 port wall mounted FDP.										
Pathways										
Description	Acct code	Footage / Quantity	Pathways (existing or new)	Material Investment	Engineering Dollars	Placing Dollars	Splicing Dollars	Vendor/ Contractor	Total	Reinforcement/Reusability
Aerial Fiber		312	Existing	\$624	\$437	\$524	\$275	\$468	\$2,328	
Entrance Fiber		139	Existing	\$278	\$500	\$350	\$500		\$1,628	
TOTAL		451		\$902	\$937	\$874	\$775	\$468	\$3,956	

BTOP Specific Information:

Breakdown of Material Investment	Fiber Counts:	Additional Comments: (include location where fiber is terminated and explanation of discrepancies between planned and actual)
452 feet fiber cable one wall mounted FDP at State Police	Broadband use	This fiber will be spliced at Lead 2000 Pole 74, and terminated at the State Police LCR=452 feet fiber cable Spreadsheet=200 feet fiber cable Difference=252 feet Inaccurate estimating
	extra capacity	
	1-6 State Police	
	7-48 Dark	

I hereby certify the estimates contained on this LCR approval form are true and accurate.


 Signature: _____ Date: **10/31/2011**
Frontier Representative

DO NOT WRITE BELOW THIS LINE - EA, GIT and WVOT use ONLY

Special Award Conditions: (programmatic)

NA	SHPO Clearance
NA	WVDEP Storm Water Clearance
NA	COE Clearance
X	WVDNR Clearance
X	USFWS Clearance

I hereby certify the information contained on this approval form is true and accurate, made in complete compliance with this grant, and meets all Special Award Conditions (SAC), including but not limited to: environmental assessment, etc.


 Signature: _____ Date: **11/3/2011**
Teresa Schuller, Environmental Project Manager

Approved: _____
 Signature:  **WVOT John D. Dunlap, Director Infrastructure Design and Operations** Date: **11/7/2011**

Approved: **X** _____
 Signature:  **GIT Michael L. Todorovich, Project Investigator/Project Director** Date: **11/4/2011**